

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date
20 January 2005 (20.01.2005)

PCT

(10) International Publication Number
WO 2005/004855 A1

(51) International Patent Classification⁷: A61K 31/03,
31/138, 31/4525, A61P 15/12

AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.

(21) International Application Number:
PCT/AU2004/000931

(22) International Filing Date: 9 July 2004 (09.07.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
2003903597 11 July 2003 (11.07.2003) AU

(71) Applicant and
(72) Inventor: VAISMAN, Jakov [AU/AU]; Unit 131, No 18.
Waverly Street, Bondi Junction, New South Wales 2022
(AU).

(74) Agent: SHELSTON IP; 60 Margaret Street, Sydney NSW
2000 (AU).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI,
SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,
GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

A1

WO 2005/004855

(54) Title: TREATMENT OF PREMATURE EJACULATION

(57) Abstract: The invention relates to methods and compositions for treating premature ejaculation in a male or prolonging intercourse comprising administering to the male an antidepressant via a route selected from the group consisting of mucosal administration (preferably nasal, buccal or rectal), administration to the lungs (preferably by inhalation), local administration to at least a part of the male genitalia (applied to the penis for example, in the form of a gel) and combinations thereof.